

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	49	("5835953" "6073222" "6085298" "6029153" "4066873" "5214269" "5225978" "5287497" "5383113" "5412190" "5532464" "5668897" "5678046" "5691524" "5748780" "5754697" "5761661" "5783808" "5794230" "5799141" "5806067" "5842211" "5866889" "5873072" "5875435" "5917965" "5920848" "5940844" "5963659" "5973731" "6009415" "6021202" "6029147" "6049782" "6105011" "6131810" "6164528" "6181837" "6209095" "6216015" "6216015" "6283366" "6351553" "6354490" "6354491" "6366967" "6390362" "6397307" "6424951" "6535855").pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:16
L3	514	(store or represent or hold or convert) near (data or information) near (xml or extensible adj markup adj language)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:18
L4	0	(store or represent or hold or convert) near (data or information) near (xml or extensible adj markup adj language) with financial	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:19
L5	1	(store or represent or hold or convert) near (data or information) near (xml or extensible adj markup adj language) same financial	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:19

L6	2	(store or represent or hold or convert) near (data or information) near (xml or extensible adj markup adj language) with identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:19
L7	5	(store or represent or hold or convert) near (data or information) near (xml or extensible adj markup adj language) same identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:20
L8	3	7 not 6	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:20
L9	64	(store or represent or hold or convert) near (data or information) near (xml or extensible adj markup adj language) near format	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:22
L10	0	(store or represent or hold or convert) near (data or information) near (xml or extensible adj markup adj language) near format same identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:22
L11	12	assign near unique adj identifier with account	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:29
L12	0	assign near unique adj identifier with financial	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:30
L13	228	unique adj identifier with financial	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:30
L14	12	unique adj identifier near financial	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:30

L15	3	unique adj identifier with sequence adj number with display	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/08/16 18:45
S1	1	(import adj file or file adj importer) near data adj consolida\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 14:54
S2	1	(import adj file or file adj importer) with data adj consolida\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 14:55
S3	1	(import adj file or file adj importer) same data adj consolida\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 14:55
S4	0	data adj consolida\$5 near (bank or financial adj institution) near file	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 14:56
S5	1	data adj consolida\$5 near (bank or financial adj institution)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 14:56
S6	8	data adj consolida\$5 with (bank or financial adj institution)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 14:56
S7	24	file adj importer	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:43
S8	1	file adj importer with adapter	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:44
S9	0	S8 not S1	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:44
S10	1	file adj importer same adapter	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:44
S11	134	file adj adapter	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:44

S12	0	file adj adapter with extract	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:44
S13	2	file adj adapter same extract	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:44
S14	31	file adj adapter with (extract\$3 or remov\$3 or pull\$3 adj out or retract\$3 or retriev\$3 or select\$3 or take or taking or obtain or draw adj out or evoke or educe or withdraw)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 16:52
S15	1	file adj adapter and (705/35-45.ccls.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:02
S16	0	S15 not S1	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:02
S17	134	file adj adapter	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:02
S18	1	file adj adapter same (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:06
S19	124	adapter same (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:07
S20	2	adapter near (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:07
S21	0	file adj (adapt\$rr or interpreter or decoder or convert\$r or convert \$rs or connect\$r) near (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:16

S22	0	file adj (adapt\$rr or interpreter or decoder or convert\$r or convert \$rs or connect\$r) with (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:16
S23	0	file adj (adapt\$rr or interpreter or decoder or convert\$r or convert \$rs or connect\$r) same (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:16
S24	1249	(adapt\$r or interpreter or decoder or convert \$r or convert\$rs or connect\$r) same (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:17
S25	256	(adapt\$r or interpreter or decoder or convert \$r or convert\$rs or connect\$r) with (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:17
S26	16	(adapt\$r or interpreter or decoder or convert \$r or convert\$rs or connect\$r) near (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:17
S27	6	file near (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:18
S28	177	file with (BAI or bank adj administration adj institute)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:37
S29	7	file with (BAI or bank adj administration adj institute) and (705/35-45.CCLS.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:37

S30	2	S29 NOT S27	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 17:38
S31	559	sequence adj number near identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:20
S32	27	sequence adj number near unique adj identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:21
S33	40209	sequence adj number with unique adj identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:23
S34	309	sequence adj number with unique adj identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:23
S35	11	sequence adj number with unique adj identifier and (705/35- 45.CCLS.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:23
S36	39	sequence adj number with (account or transaction) adj type	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:27
S37	240	consecutive near sequence adj number	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:40
S38	2	consecutive near sequence adj number and (705/35-45.CCLS.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:40
S39	3	consecutive WITH sequence adj number and (705/35-45.CCLS.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:42
S40	1	S39 NOT S38	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:42
S41	657	consecutive WITH sequence adj number	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:45

S42	3	consecutive WITH sequence adj number AND (705/35-45. OCLS.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:45
S43	456	S41 NOT S37	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:46
S44	817	(continu\$5 or increasing or sequential or consecutive) near sequence adj number	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:50
S45	4	(continu\$5 or increasing or sequential or consecutive) near sequence adj number AND (705/35-45.ocls.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:50
S46	2	S45 not S42	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:50
S47	197	consecutive adj sequence adj number	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:56
S48	195	S47 not S45	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:56
S49	686	(continu\$5 or increasing or sequential or consecutive) adj sequence adj number	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:57
S50	491	S49 not S48	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 18:58
S51	66	date near sequence adj number	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/11 20:47
S52	13247	undo or redo near data adj consolidat\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:35

S53	0	(undo or redo) near data adj consolidat\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:35
S54	1	(undo or redo) with data adj consolidat\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:36
S55	1	(undo or redo) same data adj consolidat\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:36
S56	0	(undo or redo) near data adj (compression or consolidat\$4 or merging or fortification or condensation or merger or fusion)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:39
S57	45	(undo or redo or reverse) near data adj (compression or consolidat\$4 or merging or fortification or condensation or merger or fusion)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:40
S58	2	(undo or redo) with data adj (compression or consolidat\$4 or merging or fortification or condensation or merger or fusion)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:40
S59	1	S58 not S54	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:40
S60	7	(undo or redo) same data adj (compression or consolidat\$4 or merging or fortification or condensation or merger or fusion)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:41
S61	5	S60 not S58	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:41
S62	1	"6732108".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:45

S63	0	reverse adj data adj consolidat\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:51
S64	0	reverse near data adj consolidat\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:51
S65	45	reverse near data adj (compression or consolidat\$4 or merging or fortification or condensation or merger or fusion)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:52
S66	36	reverse adj data adj (compression or consolidat\$4 or merging or fortification or condensation or merger or fusion)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:52
S67	9	S65 not S66	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 12:58
S68	32	(identify or recogni\$e or point adj out or determin\$4 or acknowledge or distinguish or ascertain or analyze or characterize or classify) adj dependent adj (data or file)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 13:15
S69	4	duplicate adj information near database	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:50
S70	0	duplicate adj information near ignore	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:51
S71	0	duplicate near ignore near database	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:52
S72	0	duplicate adj information near ignore	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:52

S73	0	duplicate adj information with ignore	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:52
S74	0	duplicate adj information near database near removed	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:52
S75	0	duplicate adj information near database near remove	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:53
S76	1	duplicate near database near remove	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:53
S77	0	duplicate adj data near database near remove	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:55
S78	0	duplicate adj data near database near ignore	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:55
S79	18	duplicate adj data near database	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 14:55
S80	0	(back-end or back adj end or backup or back adj up or back-up) adj database near (bank or financial adj institution)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 15:06
S81	2	(back-end or back adj end or backup or back adj up or back-up) adj database with (bank or financial adj institution)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 15:07
S82	14	(back-end or back adj end or backup or back adj up or back-up) adj database same (bank or financial adj institution)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 15:07
S83	12	S82 not S81	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 15:07

S84	22	(back-end or back adj end or backup or back adj up or back-up) near database same (bank or financial adj institution)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 15:11
S85	10	S84 not S83	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 15:12
S86	4	(continuu\$5 or increasing or sequential or consecutive) near sequence adj number AND (705/35-45.ccls.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 21:24
S87	22	(back-end or back adj end or backup or back adj up or back-up) near database same (bank or financial adj institution)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 22:19
S88	1	"20030120619"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/01/14 22:30

8/16/2008 6:55:18 PM

C:\Documents and Settings\kpoe\My Documents\EAST\Workspaces\10708584.wsp